

Third Party Classification

CertainTeed Roofing Shingles

Performance Standards
Met or Exceeded



*Landmark, shown in
Weathered Wood*



At CertainTeed, we subject our shingle products to third party testing to verify their quality and performance per stringent industry requirements.

UL Solutions, or UL as it is universally known, is a global safety certification company approved to perform product testing in the U.S. by the Occupational Safety and Health Administration (OSHA).

Being UL Listed or Classified means that UL has tested representative samples of our shingles, and determined that they meet the specific, defined requirements needed to bear the UL Mark.

In the case of roofing shingles, the applicable UL classifications are CSA Standard A123.5, ASTM D3161, CAN/ULC-S107 and UL 2218.



PRI Laboratories is a national and global leading provider of materials testing and performance services. Their Product Validation / Certification program ensures that our products conform to product standards and specifications such as UL 2218. Whether it's asphalt roofing shingles or other building materials, PRI Laboratories plays a crucial role in ensuring quality and compliance.



CertainTeed shingles are UL Classified to meet these standards, and here is what they mean for you:

CSA Standard A123.5: Standard Test Specifications for Asphalt Shingles Made from Glass Felt and Surfaced with Mineral Granules

CSA Standard A123.5 is the product standard for asphalt shingles prescribed by the National Building Code of Canada. CSA A123.5 establishes the minimum physical and performance requirements asphalt shingles must meet in order to comply with building code in Canada. This standard includes, but is not limited to:

- Tear Strength
- Wind Resistance
- Fastener Pull-through Resistance
- Granule Adhesion
- Asphalt coating Weatherability
- Cold Curl Resistance

Key Takeaway:
CertainTeed shingles are UL classified to CSA Standard A123.5.



CAN/ULC S107: Standard Method of Fire Tests of Roof Coverings

CAN/ULC S107 is the applicable test method for fire resistance of asphalt shingles in Canada per National Building Code of Canada.

Key Takeaway:
CertainTeed shingles are UL listed for Class A fire resistance per CAN/ULC S107.



ASTM D3161: Standard Test Method for Wind Resistance of Steep Slope Roofing Products (Fan-Induced Method)

ASTM D3161 Class A (60 mph) is the minimum requirement per CSA A123.5. All CertainTeed shingles are UL classified to ASTM D3161 Class F (110 mph):

- **Class A** — Shingles that passed testing at 60 MPH
- **Class D** — Shingles that passed testing at 90 MPH
- **Class F** — Shingles that passed testing at 110 MPH

Key Takeaway:
All CertainTeed shingles are UL classified to ASTM D3161, Class F.



Class F — Shingles that passed testing at 110 MPH
Class H — Shingles that passed the highest classification available in the standard

INDEPENDENT PERFORMANCE VERIFICATION

Plant Location	Shingle Product Name	Class A Fire UL790	Wind (Class F) ASTM D3161	Physical Properties ASTM D3462	Wind Uplift (Class H) ASTM D7158	Impact Resistance UL 2218	
						CLASS 3	CLASS 4
Avery	Landmark® AR	✓	✓	✓	✓	✓	
Avery	Landmark® PRO AR	✓	✓	✓	✓	✓	
Ennis	Landmark® AR	✓	✓	✓	✓	✓	
Fremont	Landmark® TL AR	✓	✓	✓	✓		✓
Fremont	Presidential® Shake® AR	✓	✓	✓	✓	✓	
Fremont	Presidential® Shake® TL AR	✓	✓	✓	✓		✓
Jonesburg	Landmark® AR	✓	✓	✓	✓	✓	
Jonesburg	Landmark® PRO AR	✓	✓	✓	✓	✓	
Norwood	Landmark® AR	✓	✓	✓	✓	✓	
Norwood	Landmark® Premium AR	✓	✓	✓	✓		✓
Norwood	Landmark® PRO AR	✓	✓	✓	✓	✓	
Oxford	Belmont® AR	✓	✓	✓	✓	✓	
Oxford	Belmont® AR IR	✓	✓	✓	✓		✓
Oxford	Carriage House® AR	✓	✓	✓	✓		✓
Oxford	Grand Manor® AR	✓	✓	✓	✓		✓
Oxford	Highland Slate® AR	✓	✓	✓	✓	✓	
Oxford	Landmark® AR	✓	✓	✓	✓	✓	
Oxford	Landmark® Premium AR	✓	✓	✓	✓		✓
Oxford	Landmark® PRO AR	✓	✓	✓	✓	✓	
Peachtree	Landmark® AR	✓	✓	✓	✓	✓	
Peachtree	Landmark® PRO AR	✓	✓	✓	✓	✓	
Portland	Landmark® AR	✓	✓	✓	✓	✓	
Portland	Landmark® Premium AR	✓	✓	✓	✓		✓
Portland	Landmark® PRO AR	✓	✓	✓	✓	✓	
Portland	NorthGate® ClimateFlex® AR	✓	✓	✓	✓		✓
Shakopee	Landmark® ClimateFlex® AR	✓	✓	✓	✓		✓
Shakopee	Landmark® AR	✓	✓	✓	✓	✓	
Shakopee	Landmark® Premium AR	✓	✓	✓	✓		✓
Shakopee	Landmark® PRO AR	✓	✓	✓	✓	✓	
Shakopee	NorthGate® ClimateFlex® AR	✓	✓	✓	✓		✓
Shakopee	Presidential® Shake® AR	✓	✓	✓	✓	✓	
Shreveport	Landmark® AR	✓	✓	✓	✓	✓	
Wilmington	Landmark® AR	✓	✓	✓	✓	✓	
Wilmington	Landmark® Premium AR	✓	✓	✓	✓		✓
Wilmington	Landmark® PRO AR	✓	✓	✓	✓	✓	



Integrity Roof System®

PERFORMANCE ENGINEERED FOR COMPLETE PROTECTION,
STRONG RESILIENCE AND LASTING BEAUTY

With as much care as you take in selecting the right contractor, choosing the right roof system is equally as important. A CertainTeed Integrity Roof System combines key elements that help ensure you have a well-built roof for long-lasting performance.



1. Waterproofing Underlayment

The first step in your defense against the elements. Self-adhering underlayment is installed at vulnerable areas of your roof to help prevent leaks from wind-driven rain and ice dams.

2. Water-Resistant Underlayment

Provides a protective layer over the roof deck and acts as a secondary barrier against leaks.

3. Shingle Starter

Shingle starter is the first course installed and designed to work in tandem with the roof shingles above for optimal shingle sealing and performance.

4. Shingles

Choose from a variety of Good-Better-Best styles to complement any roof design and fit your budget.

5. Ventilation

A roof that breathes is shown to perform better and last longer. Ridge Vents, in combination with Intake Vents, allow air to flow on the underside of your roof deck, keeping the attic cooler in the summer and drier in the winter.

6. Hip & Ridge

Available in numerous profiles, these accessories are used on the roof's hip and ridge lines for a distinctive finishing touch to your new roof.

learn more at:

certainteed.ca/roofing



CertainTeed

Ceilings • Gypsum • Insulation • Roofing • Siding • Trim
20 Moores Road, Malvern, PA 19355 | 800-233-8990 | certainteed.ca

©01/26 CertainTeed, Printed in the USA, Code No. 00-00-228-CA-EN